Product End of Life Instructions

Enerlin'X IFE Module







ENVEOLI2305024_V1 11/2023

Λ


Potential disassembly risks



Failure to follow these instructions will result in death or serious injury.



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
Potential hazards	1	Battery	5 g	Li-ion Battery
To be depolluted	2	Electronic Board (Communication) > 10cm ²	35.29 g	Digital PCBA
To be depolluted	3	Electronic Board (Communication) > 10cm²	15.04 g	DIN PCBA
To be depolluted	4	Electronic Board (Communication) > 10cm²	31.75 g	PowerPCBA
To be dismantled	5	Plastic parts to be dismantled	94 g	PC, PA6 & Polyester

ENVEOLI2305024_V1 11/2023

Product description

Manufacturer identification	Schneider Electric Industries SAS	
Brand name	Schneider Electric	
Product function	Enerlin'X IFE switchboard server is an Ethernet interface module, and it provides an Ethernet access to one or several MasterPacT, ComPacT or PowerPacT circuit breakers range an incorporates a Modbus gateway. The protection degree is IP4x on the front face and IP2x on the connectors	
Product reference	LV434002	
Additional similar product references	LV434002 LV434001 LV434010 LV434011	
Total representative product mass	190 g	
Representative product dimensions	85.5mm x 71.7mm x 70.6mm	
Date of information release	11/2023	

Additional information

Legal information	Electroni the coun provides	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.		
In case of special transportation: transportation method	NO			
Recyclability potential	1%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).		

Schneider Electric Industries SAS
Country Customer Care Center
http://www.schneider-electric.com/contact
35, rue Joseph Monier
CS 30323

F- 92500 Rueil Malmaison Cedex RCS Nanterre 954 503 439 Capital social 896 313 776 €

www.se.com

ENVEOLI2305024_V1

Published by Schneider Electric

© 2023 - Schneider Electric - All rights reserved

11/2023

ENVEOLI2305024_V1 11/2023