Product End of Life Instructions

Motion Servo Drive - Lexium 28







ENVEOLI1409001_V3 11/2020


⚠ Potential disassembly risks

DANGER

HAZARD OF ELECTRIC SHOCK, EXPLOSION OR ARC FLASH

- Disconnect all power from all equipment including connected devices prior to removing any covers or doors, or
 installing or removing any accessories, hardware, cables, or wires except under the specific conditions specified in
 the appropriate hardware guide for this equipment.
- Wait 5 minutes to allow the internal capacitors to discharge.
- Always use a properly rated voltage sensing device to confirm the power is off where and when indicated. Failure to follow these instructions will result in death or serious injury.

End of Life Instructions



ENVEOLI1409001_V3 11/2020

Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Power) > 10cm ²	83.6	
To be depolluted	2	Electronic Board (Power) > 10cm ²	390	
To be depolluted	3	Electronic Board (Power) > 10cm ²	8.1	
To be depolluted	4	Electrolytic capacitors	59.3	x2



Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	Lexium 28 IO and CAN drive - 1 kW
Product reference	LXM28AU10M3X
Total representative product mass	1215 g
Representative product dimensions	55 x 150 x 177
Date of information release	11/2020



(1) Additional information

	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.		
Recyclability potential	40%	Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).	

Schneider Electric Industries SAS

Country Customer Care Center http://www.schneider-electric.com/contact

CS 30323 F- 92506 Rueil Malmaison Cedex RCS Nanterre 954 503 439

35, rue Joseph Monier

www.schneider-electric.com

Capital social 896 313 776 €

Published by Schneider Electric

ENVEOLI1409001_V3

 $\hbox{@ 2020}$ - Schneider Electric – All rights reserved