


Circularity Profile

Modicon Switch Industrial Switch






Potential disassembly risks

The Circularity profile provides information about preparation for re-use and treatment. It identifies the relevant EEE components and materials as well as their location. Safety instructions for product dismantling and depollution are provided into the User manual or maintenance guide.



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
Potential hazards	1	PCB	156	PCBA, electrolytic capacitors
To be dismantled	2	PET	3	adhesive foil
To be dismantled	3,4	alumina	79	Heat sink, front plate
To be dismantled	7	stainless steel	22	screws
To be dismantled	5	plastic coated with CuNi	155	housing
To be dismantled	6	plastic (vampamid 6 0024 V0)	5	fixture



Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	Interconnect equipments over Ethernet in Industrial environment
Product reference	MCSESM083F23F0
Additional similar product references	MCSESM043F23F0 MCSESM053F1CU0 MCSESM063F2CU0 MCSESM053F1CS0 MCSESM063F2CS0 MCSESM083F23F0 MCSESM093F1CU0 MCSESM103F2CU0 MCSESM093F1CS0 MCSESM103F2CS0 MCSESP083F23G0 MCSESP083F23G0T MCSESM083F23F0H MCSESM103F2CU0H MCSESM103F2CS0H
Total representative product mass	0,42 kg
Representative product dimensions	73mm*137.5mm*103,5mm
Date of information release	01/04/2020



Additional information

Is the product in the scope of WEEE Directive (2012/19/EU)	Yes
Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
Recyclability potential	63% Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy

Schneider Electric Industries SAS

Country Customer Care Center
<http://www.schneider-electric.com/contact>

35 rue Joseph Mounier
CS30323

F-92506 Rueil Malmaison Cedex

RCS Nanterre 954 504 439
Capital social 896 313 776€

www.schneider-electric.com

ENVEOLI2003018

Published by Schneider Electric

© 2020 - Schneider Electric – All rights reserved

04/2020