



# Product End of Life Instructions

**Transfer Switch, TransferPacT Active Automatic, 250A, 400V**

**Transfer PacT**



End of Life Instructions



| Recommendation   | Number on drawing | Component / Material                     | Weight (in g) | Comment                                |
|------------------|-------------------|--|---------------|--|
| To be depolluted | 1,2,3,4,5,6       | Electronic Board (Power) > 10cm²         | 538.22        | 6 PCBA, including all soldering parts. |
| To be depolluted | 7                 | plastic with brominates flame retardants | 57.94         | PBT GF30 FR17                          |
| To be depolluted | 8                 | transformer                              | 350           | transformer                            |

Product description

|                                       |   |
|---------------------------------------|---|
| Manufacturer identification           | Schneider Electric Industries SAS   |
| Brand name                            | Schneider Electric  |
| Product function                      | TransferPacT Active Automatic 250A is automatic transfer switching equipment (ATSE) which to be used in power systems for transferring a load supply between a normal and an alternate source with a supply interruption during transfer. |
| Product reference                     | TA25D4L2504TPE  |
| Additional similar product references | This range consists 80A to 250A, 3 and 4 pole, TransferPacT W/O LCD or remotary automatic transfer switch,the representative product used for analysis is 4P 250A (product number: TA25D4L2504TPE)  |
| Total representative product mass     | 13116 g   |
| Representative product dimensions     | 370mm x 341mm x 185mm   |
| Accessories                           | No  |
| Date of information release           | 08-2024   |

Additional information

|  |  |  |
|--|--|--|
| Legal information  | This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product. |  |
| In case of special transportation: transportation method | No   |  |
| Recyclability potential                                  | 71%  | Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the “ECO’ DEEE recyclability and recoverability calculation method” was taken. If no data was found a conservative assumption was used (0% recyclability). |

Schneider Electric Industries SAS  
Country Customer Care Center  
<http://www.se.com/contact>  
35, rue Joseph Monier  
CS 30323  
F- 92500 Rueil Malmaison Cedex  
RCS Nanterre 954 503 439  
Capital social 928 298 512 €

[www.se.com](http://www.se.com)

ENVEOLI2210017\_V2

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

08-2024