


# Product End of Life Instructions

## XB5 Key Emergency Stop



## End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be dismantled	1	Bezel, Terminal,Screw,Rivet,Bracket	37.85	Metal Parts
To be dismantled	2	Fixing plastic nut, Key Over Moulding,Gasket, Head	30.52	Plastic Parts
To be depolluted	3	D22 Fixing Base, Contact Housing & Cover	9.35	Plastic Parts With FR

## Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	An emergency stop button is a button that is only used when the functions of a machine must be immediately stopped. When anything about the machine's functions or the operator's surroundings poses a threat to production or safety, these buttons can be pressed.
Product reference	XB5AS9442
Additional similar product references	XB5AS142N XB5AS9445 XB5AS8445 XB5AS9442 XB5AS442N XB5AS9445N XB5AS8445N XB5AS145 XB5AS422N XB5AS522N XB5AS122N XB5AS552 XB5AS9444 XB5AS441 XB5AS9444S40 XB5AS142 XB5AS541N
Total representative product mass	77.83 g
Representative product dimensions	H43mm x L77.5mm x D40mm
Accessories	No accessories needed
Date of information release	02/2024

## Additional information

<b>Legal information</b>	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
<b>In case of special transportation: transportation method</b>	No specific means of transportation are required.	
<b>Recyclability potential</b>	<b>48%</b>	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS  
Country Customer Care Center  
<http://www.schneider-electric.com/contact>  
35, rue Joseph Monier  
CS 30323  
F- 92500 Rueil Malmaison Cedex  
RCS Nanterre 954 503 439  
Capital social 928 298 512 €

[www.se.com](http://www.se.com)

ENVEOLI2308013\_V1

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

02/2024