



Product End of Life Instructions

XD4 JOYSTICK CONTROLLER



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be dismantled	1	Bracket, Lever, Terminal, Screws	81.91	Metal Parts
To be depolluted	2	Piston Crantage, Contact Cover, Housing, Soufflet	15	Plastic Parts

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	Joysticks are devices that are used to control, position and steer a wide range of heavy-duty equipment, machines and systems. Joysticks are devices that have a shaft mounted onto a base which houses an electrical circuit
Product reference	XD4PA22
Total representative product mass	97 g
Representative product dimensions	45mm x 55mm x 125mm
Accessories	Not required any special accessories for dismantling
Date of information release	08/2023

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.		
In case of special transportation: transportation method	There was no need for any special transportation.		
Recyclability potential	<table border="1"> <tr> <td data-bbox="492 520 586 661"> 42% </td> <td data-bbox="586 520 1469 661"> Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability). </td> </tr> </table>	42%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).
42%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).		

Schneider Electric Industries SAS
 Country Customer Care Center
<http://www.schneider-electric.com/contact>
 35, rue Joseph Monier
 CS 30323
 F- 92500 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 896 313 776 €

www.se.com

ENVEOLI2302014_V1

Published by Schneider Electric

© 2022 - Schneider Electric – All rights reserved

08/2023