Product End of Life Instructions

XVR Rotating Beacon With Buzzer







ENVEOLI2308034_V1 10/2023

狐

Potential disassembly risks

The information provided in this document assumes that the product is completely deenergized and uninstalled (refer to the instructions provided in the appropriate product manuals).

Dismantling/disassembling the product may entail hazards caused by, for example, sharp edges, chemical aggression or ejected parts.

A WARNING


HAZARD DUE TO INSUFFICIENT PROTECTION

- Implement all safety measures required by the applicable regulations and by the processes used to dismantle/disassemble and dispose of the product.
- Use all necessary personal protective equipment such as gloves and goggles.

Failure to follow these instructions can result in death or serious injury.



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be dismantled	1	Mounting Base, Mirrior, Buzzer Box, Lower Body, Washer, Intermediate Gear, Glove Red	251.64	Plastic Parts
To be dismantled	2	Shaft, Chasis, Screw, Nut, Heat Sink	143.05	Metal Parts
To be depolluted	3	Electronic Board (Communication) > 10cm ²	62.93	PCBA & Cable

ENVEOLI2308034_V1 10/2023

Product description

Manufacturer identification	Schneider Electric Industries SAS		
Brand name	Schneider Electric		
Product function	This product is an optical and audible signaling unit designed for long distance signaling applications. They are used mainly in the factory applications, construction vehicles, industrial handling vehicles, safety applications and in public areas.		
Product reference	XVR12B04S		
Total representative product mass	460 g		
Representative product dimensions	H150 mm x L120 mm x D120 mm		
Accessories	No accessories needed		
Date of information release	10/2023		

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.		
In case of special transportation: transportation method	No specific means of transportation are required.		
Recyclability potential	40%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).	

Schneider Electric Industries SAS
Country Customer Care Center
http://www.schneider-electric.com/contact
35, rue Joseph Monier
CS 30323

F- 92500 Rueil Malmaison Cedex RCS Nanterre 954 503 439 Capital social 928 298 512 €

www.se.com

Published by Schneider Electric

ENVEOLI2308034_V1 © 2023 - Schneider Electric – All rights reserved

10/2023

ENVEOLI2308034_V1 10/2023