



Product End of Life Instructions

Harmony XB5 Emergency Stop Pushbutton



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Contact Cover, Housing, Base, Col Plast	20.69	Plastic With FR
To be dismantled	2	Head, Gasket, Nut, O-Ring	18.9	Plastic Without FR
To be dismantled	3	Terminal, Screw, Rivet, Bracket	10.82	Metal Parts
Other		Liquid and pasty substances	0.202	Grease & Oil

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	Emergency stop pushbuttons are used to immediately stop any dangerous movements or processes without creating further hazards to persons that can arise from machinery when it cannot be shut down in the usual manner.
Product reference	XB5AS8442
Total representative product mass	51.04 g
Representative product dimensions	H43mm x L82.5mm x D40mm
Accessories	No accessories needed
Date of information release	10/2023

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.		
In case of special transportation: transportation method	No specific means of transportation are required.		
Recyclability potential	<table border="1"> <tr> <td data-bbox="496 464 589 585">21%</td> <td data-bbox="589 464 1464 585">Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).</td> </tr> </table>	21%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).
21%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).		

Schneider Electric Industries SAS
Country Customer Care Center
<http://www.schneider-electric.com/contact>
35, rue Joseph Monier
CS 30323

F- 92500 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 928 298 512 €

www.se.com

ENVEOLI2308012_V1

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

10/2023