# **Product End of Life Instructions**

#### **Harmony ZBE Contact Block**







ENVEOLI2404035\_V1 05-2024

# $\Lambda$

## Potential disassembly risks


## **A** CAUTION

#### HAZARD OF PARTS WITH SHARP EDGES

Apply appropriate personal protective equipment (PPE) during disassembly.

Failure to follow these instructions can result in injury.

#### **♦ End of Life Instructions**



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be dismantled	1	Pusher, Release Button, Cover, Box	3.433	Plastic Parts
To be dismantled	2	Spring, Rivet, Mobile Bridge, Hook	1.602	Metal Parts
Other		Liquid and pasty substances	0.102	Solvent, Glue

ENVEOLI2404035\_V1 05-2024

luct de		
HICT ALA	COLIDI	
	-	

Manufacturer identification	Schneider Electric Industries SAS	
Brand name	Schneider Electric	
Product function	A contact block is an electrical circuit connector that is used to turn on or turn off an electrical circuit. They control startup and shutdown for industrial equipment like emergency buttons	
Product reference	ZBE1015	
Additional similar product references	ZBE1025	
Total representative product mass	5 g	
Representative product dimensions	H 19.1mm x L 34.3mm x D 9.8mm	
Accessories	No accessory needed	
Date of information release	05-2024	

## **Additional information**

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.		
In case of special transportation: transportation method	No special transportation method required		
Recyclability potential	31%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).	

Schneider Electric Industries SAS
Country Customer Care Center
http://www.se.com/contact
35, rue Joseph Monier
CS 30323

F- 92500 Rueil Malmaison Cedex RCS Nanterre 954 503 439 Capital social 928 298 512 €

www.se.com

ENVEOLI2404035\_V1

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

='1. Identification'!C9

ENVEOLI2404035\_V1 05-2024