

Product End of Life Instructions

EXW-LIGHT-EV IP65 ACT.L/1LFP






Potential disassembly risks



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be dismantled	1	PE Polyethylene (Caps for IP65)	2.16	
To be dismantled	2	PC (Lamp body)	135	
To be dismantled	3	PC (Reflective body to fix PCBA)	44.2	
To be dismantled	4	PMMA Polymethyl Methacrylate (Light Diffusor)	8	
To be dismantled	5	ABS Acrylonitrile Butadiene Styrene (GASKET)	0.8	
To be dismantled	6	PC (Transparent screen)	65	
To be depolluted	7	Electronic Board (Power) > 10cm²	50	
To be depolluted	7	LiFePO Battery	22	
Other	9	PMMA (&K.5SCH.SER/I STD SPARK M20 - Arrow side)	2.5	
Other	10	PMMA (&K.5SCH.SER/I STD SPARK M20 - Man side)	2.5	

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric Industries SAS
Product function	Maintained emergency luminaire (EN 60598-2-22) luminaire in which the emergency lighting lamps are energized at all times when normal or emergency lighting is required.
Product reference	OVA59111
Additional similar product references	OVA59111
Total representative product mass	400 g
Representative product dimensions	229mm x 112mm x 32mm
Accessories	Pictogram
Date of information release	07/2025

Additional information

Legal information

This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.

Recyclability potential

65% The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS
Country Customer Care Center
<http://www.se.com/contact>
35, rue Joseph Monier
CS 30323
F- 92500 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 928 298 512 €

www.se.com

ENVEOLI2108005_V2

Published by Schneider Electric
© 2023 - Schneider Electric – All rights reserved

07/2025