


Product End of Life Instructions

Acti9 iID - Residual Current Circuit Breaker (RCCB) - 4P - 40A - 30mA - B type

Representative of all Acti9 iID - RCCB - B type - 2P and 4P - up to 80A - up to 500mA



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Communication) > 10cm ²	10,64	
To be depolluted	2	Resistor	0,63	
To be depolluted	3	Electronic Board (Communication) > 10cm ²	0,59	

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The Acti9 iID differential switch ensures the protection of people against electric shock by direct and indirect contact as well as the protection of installations and electric vehicle charging station against the risk of fire.
Product reference	A9Z51440
Additional similar product references	A9Z51440 A9Z51216 A9Z51225 A9Z51240 A9Z51425 A9Z51463 A9Z61225 A9Z61240 A9Z61263 A9Z61425 A9Z61440 A9Z61463 A9Z61480 A9Z63440 A9Z64225 A9Z64240 A9Z64263 A9Z64425 A9Z64440 A9Z64463 A9Z64480 A9Z65440 A9Z65463 A9Z65480 A9Z66440 A9Z66463 A9Z66480
Total representative product mass	396 g
Representative product dimensions	88mm x 72mm x 79mm
Accessories	0
Date of information release	07-2024

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
In case of special transportation: transportation method	0	
Recyclability potential	56%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS

Country Customer Care Center
<http://www.se.com/contact>

35, rue Joseph Monier
 CS 30323

F- 92500 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 928 298 512 €

www.se.com

ENVEOLI1811009_V2

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

07-2024