# **Product End of Life Instructions**

variable speed drive, Altivar Machine ATV320, 1.5kW, 380 to 500V, 3 phases, book

### **Altivar Machine ATV320**









### Potential disassembly risks

The information provided in this document assumes that the product is completely deenergized and uninstalled (refer to the instructions provided in the appropriate product manuals).

Dismantling/disassembling the product may entail hazards caused by, for example, sharp edges, chemical aggression or ejected parts.


### **A WARNING**


#### HAZARD DUE TO INSUFFICIENT PROTECTION

- Implement all safety measures required by the applicable regulations and by the processes used to dismantle/disassemble and dispose of the product.
- Use all necessary personal protective equipment such as gloves and goggles.

Failure to follow these instructions can result in death or serious injury.

## ► End of Life Instructions





# ENVEOLI1711005\_V2 - End of Life Instructions - variable speed drive, Altivar Machine ATV320, 1.5kW, 380 to 500V, 3 phases, book

Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Power and Communication) > 10cm <sup>2</sup>	978,26	
To be depolluted	2	Cable (high current)	36,65	
To be depolluted	3	Electrolyte capacitors which size: height > 25 mm, diameter > 25 mm or proportionately similar volume	112	
To be dismantled	4	Steel	208,27	EMC sheet - EMC Plate - Ground Plate - Ground Bar
To be dismantled	5	PC, ABS-PC, PA, PA6, HDPE, SAN with or without additive, PP+EPDM and PP	274,45	Flash Trap - Fan Support - Control Support - Book Covers - Option Trap - Control Trap - Control Housing
Other			97,17	

## **Product description**

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The main function of the Altivar Machine product range is the speed control and variation of a synchronous, asynchronous or reluctance electric motor for fluid management and industrial applications.
Product reference	ATV320U15N4B
Total representative product mass	1,7068 kg
Representative product dimensions	325mm x 45mm x 245mm
Accessories	No accessories needed
Date of information release	08-2025

### **Additional information**

Legal information	The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.		
In case of special transportation: transportation method	No special tranportation		
The recyclability rate was calculated from the recycling rates of each material the product based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database a related PSR was taken. If no data was found a conservative assumption was recyclability).			

Schneider Electric Industries SAS
Country Customer Care Center
http://www.se.com/contact
35, rue Joseph Monier
CS 30323

F- 92500 Rueil Malmaison Cedex RCS Nanterre 954 503 439 Capital social 928 298 512 €

www.se.com

Published by Schneider Electric

ENVEOLI1711005\_V2 © 2023 - Schneider Electric – All rights reserved

08-2025