


Product End of Life Instructions

TBUX297378 - Expansion Model 5414-24 D/I module





End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Communication) > 10cm ²	61.4	PCBA (Communication)
To be dismantled	2	Metals	208.8	Metals
Other		Plastic and Others	3.8	Except for the above parts

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The SCADAPack 5414 Compact digital input module is part of the SCADAPack family of I/O Expansion and Communication modules, providing flexible I/O and telemetry options.
Product reference	TBUX297378
Total representative product mass	274 g
Representative product dimensions	74mm x 124mm x 45mm
Accessories	No Accessories needed
Date of information release	10-2024

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
In case of special transportation: transportation method	No special transportation required	
Recyclability potential	75%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS
Country Customer Care Center <http://www.schneider-electric.com/contact>
+001 508 549 3992
70 Mechanic Street
MA 02035
Foxboro
USA

www.se.com

ENVEOLI2005004_V2

Published by Schneider Electric
© 2023 - Schneider Electric – All rights reserved

10-2024