

Product End of Life Instructions

Harmony XVS Voice Alarms





Potential disassembly risks

The information provided in this document assumes that the product is completely de-energized and uninstalled (refer to the instructions provided in the appropriate product manuals).

Dismantling/disassembling the product may entail hazards caused by, for example, sharp edges, chemical aggression or ejected parts.


⚠ WARNING

HAZARD DUE TO INSUFFICIENT PROTECTION

- Implement all safety measures required by the applicable regulations and by the processes used to dismantle/disassemble and dispose of the product.
 - Use all necessary personal protective equipment such as gloves and goggles.
- Failure to follow these instructions can result in death or serious injury.**



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Back Cover, DIN72 Body	61.308	Plastic parts
To be depolluted	2	Electronic Board (Communication) > 10cm ²	37.898201	PCBA
Other		Screw, Terminal	29.862	Metal parts



Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The product is an audible signaling units designed for long distance indication of the operating status or sequences of a machine or installation. They are used mainly in the factory applications, construction sites, safety applications and in public areas.
Product reference	XVSV7BWN
Additional similar product references	XVS72BMWP XVS72BMBP XVS72BMBN XVS72BMWN
Total representative product mass	142 g
Representative product dimensions	105mm x 105mm x 50mm
Accessories	No
Date of information release	02-2025



Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
In case of special transportation: transportation method	No	
Recyclability potential	17%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS
Country Customer Care Center
<http://www.se.com/contact>

35, rue Joseph Monier
CS 30323

F- 92500 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 928 298 512 €

www.se.com

ENVEOLI2312027_V1

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

02-2025