

Product End of Life Instructions

Harmony XB6 Illuminated Push Button



Potential disassembly risks

The information provided in this document assumes that the product is completely de-energized and uninstalled (refer to the instructions provided in the appropriate product manuals).

Dismantling/disassembling the product may entail hazards caused by, for example, sharp edges, chemical aggression or ejected parts.


⚠ WARNING

HAZARD DUE TO INSUFFICIENT PROTECTION

- Implement all safety measures required by the applicable regulations and by the processes used to dismantle/disassemble and dispose of the product.
- Use all necessary personal protective equipment such as gloves and goggles.

Failure to follow these instructions can result in death or serious injury.

End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be dismantled	1	Cap, Bezel,Gasket	10.3804	Plastic Parts
To be dismantled	2	Mobile Bridge, Pin, Washer, Spring	2.364	Metal Parts
To be depolluted	3	Electronic Board (Communication) > 10cm ²	0.915	PCBA
Other		Liquid and pasty substances	0.3406	Ink & Grease

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	Illuminated push buttons provide a much higher level of visibility for the switch location or as an indication of its current status. Illuminated metallic complete unit with contact function. It combines simplicity of installation, flexibility and robustness and It meets the requirements of the majority of industrial applications.
Product reference	XB6DW3B1B
Total representative product mass	14 g
Representative product dimensions	H57mm x L23.5mm x D18mm
Accessories	No accessories needed
Date of information release	10/2023

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
In case of special transportation: transportation method	No specific means of transportation are required.	
Recyclability potential	17%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS

Country Customer Care Center

<http://www.se.com/contact>

35, rue Joseph Monier

CS 30323

F- 92500 Rueil Malmaison Cedex

RCS Nanterre 954 503 439

Capital social 928 298 512 €

www.se.com

ENVEOLI2403025_V1

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

10/2023