

Product End of Life Instructions

DC 180 & DC 320 range



⚠ Potential disassembly risks


⚠ WARNING

HAZARD OF ARC FLASH OR FIRE

- Disconnect battery terminals before disassembly
- Avoid any electrical connection between the terminals

Failure to follow these instructions can result in death or serious injury.

🔧 End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Communication) > 10cm ²	344.1	PCBA 1
To be depolluted	2	Electronic Board (Communication) > 10cm ²	280.50974	PCBA 2
To be depolluted	3	Electronic Board (Communication) > 10cm ²	243.87	PCBA 3
To be depolluted	4	Electronic Board (Communication) > 10cm ²	228.5	PCBA 4
To be depolluted	5	Electronic Board (Communication) > 10cm ²	83.998	PCBA 5
To be depolluted	6	Electronic Board (Communication) > 10cm ²	60	PCBA 6
To be depolluted	7	Electronic Board (Communication) > 10cm ²	60	PCBA 7
To be depolluted	8	Electronic Board (Communication) > 10cm ²	49.90594	PCBA 8
To be depolluted	9	Electronic Board (Communication) > 10cm ²	31	PCBA 9
To be depolluted	10	Electronic Board (Communication) > 10cm ²	27.33459	PCBA 10
To be depolluted	11	Electronic Board (Communication) > 10cm ²	19.16	PCBA 11



Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The EVlink Pro DC 320kW/180kW charging station is designed as one new generation charging station for electric vehicle . Its function unit is to allow the full charging of an electric vehicle within 1hr
Product reference	EVD2S320TBB
Additional similar product references	EVD2S320TBB EVD2S240TBB EVD2S180TBB EVD2S150TBB EVD2S120TBB EVD2S320TBCC EVD2S240TBCC EVD2S180TBCC EVD2S150TBCC EVD2S120TBCC EVD2S320TBBC7 EVD2S240TBBC7 EVD2S180TBBC7 EVD2S150TBBC7 EVD2S120TBBC7
Total representative product mass	610000 g
Representative product dimensions	800mm x 750mm x 2050mm
Accessories	Charging station gun cable
Date of information release	2025/5/12

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
Recyclability potential	80% The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECYLAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS
Country Customer Care Center
<http://www.se.com/contact>
35, rue Joseph Monier
CS 30323
F- 92500 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 928 298 512 €

www.se.com

ENVEOLI2504026_V1

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

05-2025