


Product End of Life Instructions

TeSys Giga Contactors 225A 440V 3P AC3 Standard 100-250V

TeSys Giga Contactors



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Communication) > 10cm ²	65.63	Electronic Board (Communication) > 10cm ²

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The main purpose of the product is to switch on and off electrical power supply of a down stream installation with an electrical and/or mechanical control.
Product reference	LC1G225KUEN
Additional similar product references	LC1G115, LC1G1154, LC1G150, LC1G1504, LC1G185, LC1G1854, LC1G225, LC1G2254, LC1G265, LC1G2654, LC1G330, LC1G3304, LC1G400, LC1G4004, LC1G500, LC1G5004 followed by coil code BEEA, EHEA, EHEN, KUEN, LSEA, LSEN, LSEMN LC1G630, LC1G6304, LC1G800, LC1G8004 followed by coil code EHEA, EHEN, KUEN, LSEA, LSEN, LSEMN LC1G205, LC1G245, LC1G300, LC1G410, LC1G475, LC1G620 followed by coil code EHEC, KUEC, LSEC, LSEMC The coil code references may content S207 placed before the last letter example for EHEN, S410 placed before the last letter example for KUEC: EHES207N, KUES410C...
Total representative product mass	3500 g
Representative product dimensions	258mm x 320mm x 175mm
Accessories	No
Date of information release	19/03/2026

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
In case of special transportation: transportation method	No
Recyclability potential	56% The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECYLAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS
Country Customer Care Center
<http://www.se.com/contact>
35, rue Joseph Monier
CS 30323
F- 92500 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 928 298 512 €

www.se.com

ENVEOLI2105013_V3

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

19/03/2026