


SICOMtape Neon Top RGB IP68 - 4 mt

TOP

5609040



24
V

Lamp Voltage

380
lm/m

Luminous flux

4.03
m

Max.module lenght

15
cm

Bending radius

DESCRIZIONE

SICOMtape Neon Top RGB IP68 - 4 mt.



Vertical bending direction only. Bending radius is 150mm. 1-Side emitting.

IP68 protection, UV resistant and saltwater resistant via opal polyurethane coating.



ONE BIN ONLY

Color consistency
Today and tomorrow



*on request.



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738

sicom@sicom-pd.it - www.sicom-pd.it

SICOMtape Neon Top RGB IP68 - 4 mt

TOP

5609040



MECHANICAL DATA

Width (mm)	16	
Height (mm)	15	
Lenght (mm)	4030	
Degree of protection (IP)	IP68	
Lenght of particular segments (mm)	100	
Net weight (g)	1.112	

ELECTRICAL DATA

Efficiency (lm/W)	38	
Lamp power per meter (W)	10	
Lamp voltage (V)	24	
Voltage range	23,5 - 24,5 Vdc	

LIGHT TECHNICAL DATA

Luminous flux (lm/m)	380	
Beam angle (°)	125	
Binning tolerance	3 SDCM	
CRI (Ra)	- - -	
Colour temperature (K)	RGB	
EEC	A+	

CONNECTION

Connection number	2	
Cable cross-section (mm²)	0,5	
Max, module lenght (mm)	4030	

TEMPERATURE DATA

Lifetime (h)	45000	
Ambient temperature (°C)	-25...+45	
Storage temperature (°C)	-25...+60	
Operating temperature (°C)	-25...+65	



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738

sicom@sicom-pd.it - www.sicom-pd.it

SICOMtape Neon Top RGB IP68 - 4 mt

TOP

5609040



Information about the electrical and lighting technology measurements: Performance data measured after 1 min. at 25°C ambient temperature and a light colour of 4.000 K (or RGB). These values can have a tolerance value of $\pm 10\%$ (or $\pm 15\%$ at ECO/TWO/RGB/AIR). Module length at 24V input voltage at the module and luminous flux drop 10% over the specified length.

INCLUDED ACCESSORIES

SICOMtape Neon TOP


2 End caps - 12 Fixing screw - 12 Mounting brackets - 1 Silicone tube



NOT INCLUDED ACCESSORIES

SICOMtape Neon TOP Profile

Code 5609100- Length 1000 (mm) 19,2 x 17,8(mm)



SAFETY INFORMATION:

Read the safety and installation instructions carefully and completely before commissioning.
For more information please contact sicom@sicom-pd.it.

DISCALIMER OF WARRANTY:

The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of data sheets.



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738
sicom@sicom-pd.it - www.sicom-pd.it