


SICOMtape Neon MINI 10W 4000K IP67 - 5m SICOM

5609224



24
V

Lamp Voltage

810
lm/m

Luminous flux

5.00
m

Max.module lenght

>90
CRI

CRI

120
mm

Bending Radius

DESCRIZIONE

SICOMtape NEON MINI has vertical bending only with radius of 120mm.

1-Side emitting.

IP67 protection, UV resistant.



ONE BIN ONLY

Color consistency
Today and tomorrow

> 90
CRI

IP
67



RoHS

*Currently being finalised.



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738

sicom@sicom-pd.it - www.sicom-pd.it

SICOMtape Neon MINI 10W 4000K IP67 - 5m



5609224

MECHANICAL DATA

Width (mm)	12	
Height (mm)	12	
Lenght (mm)	5000	
Degree of protection (IP)	IP67	
Lenght of particular segments (mm)	50	
Net weight (g)	522	

ELECTRICAL DATA

Efficiency (lm/W)	81	
Lamp power per meter (W)	10	
Lamp voltage (V)	24	
Voltage range	23,5 - 24,5 Vdc	

LIGHT TECHNICAL DATA

Luminous flux (lm/m)	810	
Beam angle (°)	120	
Binning tolerance	3 SDCM	
CRI (Ra)	> 90	
Colour temperature (K)	4000	
EEC	A+	

CONNECTION

Connection number	2	
Cable cross-section (mm²)	0,5	
Max, module lenght (mm)	5000	

TEMPERATURE DATA

Lifetime (h)	45000	
Ambient temperature (°C)	-25...+45	
Storage temperature (°C)	-25...+55	
Operating temperature (°C)	-25...+55	



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738
sicom@sicom-pd.it - www.sicom-pd.it

SICOMtape Neon MINI 10W 4000K IP67 - 5m

5609224

Information about the electrical and lighting technology measurements: Performance data measured after 1 min. at 25°C ambient temperature and a light colour of 4.000 K (or RGB). These values can have a tolerance value of $\pm 10\%$ (or $\pm 15\%$ at ECO/TWO/RGB/AIR). Module length at 24V input voltage at the module and luminous flux drop 10% over the specified length.

INCLUDED ACCESSORIES

SICOMtape Neon IP67
10 Fixing screw - 10 Mounting brackets



NOT INCLUDED ACCESSORIES

SICOMtape Neon MINI IP67 1 Tappo Code 5609274

SICOMtape Neon MINI IP67 - Tappo+cavo S.30cm Code 5609276-Side

SICOMtape Neon MINI IP67 - Tappo+cavo F.30cm Code 5609276-Front

SICOMtape Neon MINI IP67 - Tappo+cavo B.30cm Code 5609276-Bottom




TAPPO CON CAVO
FRONT

TAPPO CON CAVO
SIDE

TAPPO CON CAVO
BOTTOM

SICOMtape Neon TOP IP67-1mt Code 5609270 - Length 1000 (mm)



SAFETY INFORMATION:

Read the safety and installation instructions carefully and completely before commissioning.
For more information please contact sicom@sicom-pd.it.

DISCLAIMER OF WARRANTY:

The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of data sheets.

