


# SICOMtape 17W/m 930 superbright IP65

5611793065



Lamp Voltage



Luminous flux



Max.module lenght






CRI



Degree of protection

## DESCRIZIONE

SIRIOtape 17W/m 930 24V superbright IP65



on request



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738 VERSIONE 1- 10/2019  
sicom@sicom-pd.it - www.sicom-pd.it

# SICOMtape 17W/m 930 superbright IP65

5611793065



|                                    |                                                                 |
|------------------------------------|-----------------------------------------------------------------|
| <b>MECHANICAL DATA</b>             |                                                                 |
| Width (mm)                         | 10                                                              |
| Height (mm)                        | 3                                                               |
| Lenght (mm)                        | 5000                                                            |
| Degree of protection (IP)          | IP65                                                            |
| Lenght of particular segments (mm) | 33,3                                                            |
| <b>ELECTRICAL DATA</b>             |                                                                 |
| Efficiency (lm/W)                  | 103                                                             |
| Lamp power per meter (W)           | 17                                                              |
| Lamp voltage (V)                   | 24                                                              |
| <b>LIGHT TECHNICAL DATA</b>        |                                                                 |
| Luminous flux (lm/m)               | 1745                                                            |
| Beam angle (°)                     | 120                                                             |
| Mac Adam                           | 3                                                               |
| CRI (Ra)                           | >90                                                             |
| Colour temperature (K)             | 3000                                                            |
| EEC                                | F                                                               |
| Number Led/M                       | 240                                                             |
| <b>CONNECTION</b>                  |                                                                 |
| Max wiring lenght (m)              | 5 meters (supply from start-end or in the middle of the module) |
| Max, module lenght (mm)            | 5000                                                            |
| <b>TEMPERATURE DATA</b>            |                                                                 |
| Lifetime (h)                       | 60000                                                           |
| Ambient temperature (°C)           | -20...+40                                                       |



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738 VERSIONE 1- 10/2019

sicom@sicom-pd.it - www.sicom-pd.it

# SICOMtape 17W/m 930 superbright IP65

5611793065



## SAFETY INFORMATION:

Read the safety and installation instructions carefully and completely before commissioning.  
For more information, please contact [sicom@sicom-pd.it](mailto:sicom@sicom-pd.it).

## DISCALIMER OF WARRANTY:

The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of data sheets.



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738 VERSIONE 1- 10/2019  
[sicom@sicom-pd.it](mailto:sicom@sicom-pd.it) - [www.sicom-pd.it](http://www.sicom-pd.it)