


SICOMtape 23W/m IP65 superbright



Code 5612394065



Lamp Voltage



Luminous flux



Max.module lenght






CRI



Degree of protection

DESCRIZIONE

SICOMtape 23W/m 24V 940 superbright IP65, LED 2835.



on request



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738 VERSIONE 1- 10/2019
sicom@sicom-pd.it - www.sicom-pd.it

SICOMtape 23W/m IP65 superbright



Code 5612394065

MECHANICAL DATA	
Width (mm)	10
Height (mm)	3
Lenght (mm)	5000
Degree of protection (IP)	IP65
Lenght of particular segments (mm)	33
ELECTRICAL DATA	
Efficiency (lm/W)	102
Lamp power per meter (W)	23
Lamp voltage (V)	24
LIGHT TECHNICAL DATA	
Luminous flux (lm/m)	2350
Beam angle (°)	120
LED	2835
CRI (Ra)	>95
Colour temperature (K)	4000K
EEC	A
Number Led/M	240
CONNECTION	
Max wiring lenght (m)	1 (supply from ends or in the middle every 5 meter)
Max, module lenght (mm)	5000
TEMPERATURE DATA	
Lifetime (h)	45000
Ambient temperature (°C)	-20...+35



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738 VERSIONE 1- 10/2019

sicom@sicom-pd.it - www.sicom-pd.it

SICOMtape 23W/m IP65 superbright



Code 5612394065

SAFETY INFORMATION:

Read the safety and installation instructions carefully and completely before commissioning.
For more information, please contact sicom@sicom-pd.it.

DISCALIMER OF WARRANTY:

The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of data sheets.



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738 VERSIONE 1- 10/2019
sicom@sicom-pd.it - www.sicom-pd.it