


SICOMtape 8W/m 927 48V ultralong 15m



Code 561480892720



Lamp Voltage



Luminous flux



Max.module lenght






CRI



Degree of protection

DESCRIZIONE

SICOMtape 8W/m 927 48V ultralong, IP20 LED 2835.



on request



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738 VERSIONE 1- 10/2019

sicom@sicom-pd.it - www.sicom-pd.it

SICOMtape 8W/m 927 48V ultralong 15m

Code 561480892720



MECHANICAL DATA

Width (mm)	10
Height (mm)	2
Lenght (mm)	15000
Degree of protection (IP)	IP20
Lenght of particular segments (mm)	120

ELECTRICAL DATA

Efficiency (lm/W)	113
Lamp power per meter (W)	8
Lamp voltage (V)	48

LIGHT TECHNICAL DATA

Luminous flux (lm/m)	876
Beam angle (°)	120
Mac Adam	1
CRI (Ra)	>90
Colour temperature (K)	2700
EEC	F
Number Led/M	120

CONNECTION

Max wiring lenght (m)	15 meter (supply from one side)
Max, module lenght (mm)	15000

TEMPERATURE DATA

Lifetime (h)	60000
Ambient temperature (°C)	-20...+35



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738 VERSIONE 1- 10/2019

sicom@sicom-pd.it - www.sicom-pd.it

SICOMtape 8W/m 927 48V ultralong 15m



Code 561480892720

SAFETY INFORMATION:

Read the safety and installation instructions carefully and completely before commissioning.
For more information, please contact sicom@sicom-pd.it.

DISCALIMER OF WARRANTY:

The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of data sheets.



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738 VERSIONE 1- 10/2019
sicom@sicom-pd.it - www.sicom-pd.it