


SICOMtape WallW 30° 19W 4000K IP67-5m

562WL301994067



24
V

Lamp Voltage

2126
lm/m

Luminous flux

5.05
m

Max.module lenght

90
CRI




CRI

IP
67

Degree of protection

DESCRIZIONE

SICOMtape WallW 30° 19W 4000K IP67-5m
IP67 protection.



RoHS

*on request



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738 VERSIONE 1- 10/2019

sicom@sicom-pd.it - www.sicom-pd.it

SICOMtape WallW 30° 19W 4000K IP67-5m

562WL301994067



MECHANICAL DATA

Width (mm)	20
Height (mm)	10
Lenght (mm)	5005
Degree of protection (IP)	IP67
Lenght of particular segments (mm)	150

ELECTRICAL DATA

Efficiency (lm/W)	112
Lamp power per meter (W)	19
Lamp voltage (V)	24

LIGHT TECHNICAL DATA

Luminous flux (lm/m)	2126
Beam angle (°)	30
CRI (Ra)	90
Colour temperature (K)	4000
EEC	F
Number Led/M	46

CONNECTION

Max wiring lenght (m)	10 meter (supply from one side)
Max, module lenght (mm)	10000

TEMPERATURE DATA

Lifetime (h)	60.000
Ambient temperature (°C)	-20...+45



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738 VERSIONE 1- 10/2019

sicom@sicom-pd.it - www.sicom-pd.it


SICOMtape WallW 30° 19W 4000K IP67-5m

562WL301994067





ACCESSORIES INCLUDED

Mounting bracket




ACCESSORIES NOT INCLUDED


562WL1015	SICOMtape WallW tappo per strip	1
562WL1017	SICOMtape WallW connettore con cavo	4
562WL1019	SICOMtape WallW connettore tra strip	2
562WL1021	SICOMtape WallW connettore ponte	3





562WL1000 Profilo SICOMtape WallW 1,2 m (fig. accanto)




562WL1008 SICOMtape WallW tappi per prof. (la conf. contiene 2 tappi)



562WL1013 * SICOMtape WallW staffa fiss. per prof. esterna (2pz per prof.)
562WL1012 * SICOMtape WallW staffa fiss. interna prof. (7pz per prof.)



562WL1011 SICOMtape WallW staffa fiss. regol. per prof. (2pz per pro



* le staffe si fissano a pressione

SAFETY INFORMATION:

Read the safety and installation instructions carefully and completely before commissioning.
For more information please contact sicom@sicom-pd.it.

DISCALIMER OF WARRANTY:

The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of data sheets.



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738 VERSIONE 1- 10/2019
sicom@sicom-pd.it - www.sicom-pd.it