


SICOMtape DIGITAL RGB

5605983



Lamp Voltage



Luminous flux



Max.module lenght



Colour



Degree of protection


DESCRIZIONE

SICOMtape 14W/m RGB IP67 24V Digital

IP67 protection

IC Type: WS2818B

Led 5050



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738

sicom@sicom-pd.it - www.sicom-pd.it

SICOMtape DIGITAL RGB

5605983



MECHANICAL DATA

Width (mm)	10
Height (mm)	4
Lenght (mm)	5000
Degree of protection (IP)	IP67
Lenght of particular segments (mm)	100

ELECTRICAL DATA

Efficiency (lm/W)	34
Lamp power per meter (W)	14,4
Lamp voltage (V)	24

LIGHT TECHNICAL DATA

Luminous flux (lm/m)	495
Beam angle (°)	120
Binning tolerance	-
CRI (Ra)	- - -
Colour temperature	RGB
EEC	A+
Number Led/M	60

CONNECTION

Connection number	1 (supply from ends every 5meter)
Max, module lenght (mm)	5000

TEMPERATURE DATA

Lifetime (h)	45000
Ambient temperature (°C)	-25...+45



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738
sicom@sicom-pd.it - www.sicom-pd.it

SICOMtape DIGITAL RGB

5605983



SAFETY INFORMATION:

Read the safety and installation instructions carefully and completely before commissioning.
For more information please contact sicom@sicom-pd.it.

DISCALIMER OF WARRANTY:

The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of data sheets.



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738
sicom@sicom-pd.it - www.sicom-pd.it