


SICOMtape Neon MINI 10W 3000K IP67 -10m

5609222-10



Lamp Voltage



Luminous flux



Max.module lenght



CRI



Bending Radius

DESCRIZIONE

SICOMtape NEON MINI has vertical bending only with radius of 120mm.



1-Side emitting.

IP67 protection, UV resistant .



ONE BIN ONLY

Color consistency
Today and tomorrow



*Currently being finalised.



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738
sicom@sicom-pd.it - www.sicom-pd.it

SICOMtape Neon MINI 10W 3000K IP67 -10m SICOM

5609222-10

MECHANICAL DATA		
Width (mm)	12	
Height (mm)	12	
Lenght (mm)	10000	
Degree of protection (IP)	IP67	
Lenght of particular segments (mm)	50	
Net weight (g)	522	
ELECTRICAL DATA		
Efficiency (lm/W)	79	
Lamp power per meter (W)	10	
Lamp voltage (V)	24	
Voltage range	23,5 - 24,5 Vdc	
LIGHT TECHNICAL DATA		
Luminous flux (lm/m)	790	
Beam angle (°)	120	
Binning tolerance	3 SDCM	
CRI (Ra)	> 90	
Colour temperature (K)	3000	
EEC	A+	
CONNECTION		
Connection number	1(supply form one side)	
Cable cross-section (mm ²)	0,5	
Max, module lenght (mm)	10000	
TEMPERATURE DATA		
Lifetime (h)	45000	
Ambient temperature (°C)	-25...+45	
Storage temperature (°C)	-25...+55	
Operating temperature (°C)	-25...+55	



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738
sicom@sicom-pd.it - www.sicom-pd.it

SICOMtape Neon MINI 10W 3000K IP67 -10m

5609222-10

Information about the electrical and lighting technology measurements: Performance data measured after 1 min. at 25°C ambient temperature and a light colour of 4.000 K (or RGB). These values can have a tolerance value of -/+ 10% (or -/+15%at ECO/TWO/RGB/AIR). Module lenght at 24V input voltage at the module and luminous flux drop 10% over the specified lenght.

INCLUDED ACCESSORIES

SICOMtape Neon IP67
20 Fixing screw - 20 Mounting brackets



NOT INCLUDED ACCESSORIES

SICOMtape Neon MINI IP67 1 Tappo Code 5609274

SICOMtape Neon MINI IP67 - Tappo+cavo S.30cm Code 5609276-Side

SICOMtape Neon MINI IP67 - Tappo+cavo F.30cm Code 5609276-Front

SICOMtape Neon MINI IP67 - Tappo+cavo B.30cm Code 5609276-Bottom




TAPPO CON CAVO
FRONT

TAPPO CON CAVO
SIDE

TAPPO CON CAVO
BOTTOM

SICOMtape Neon TOP IP67-1mt Code 5609270 - Lenght 1000 (mm)



SAFETY INFORMATION:

Read the safety and installation instructions carefully and completely before commissioning.
For more information please contact sicom@sicom-pd.it.

DISCALIMER OF WARRANTY:

The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of data sheets.



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738
sicom@sicom-pd.it - www.sicom-pd.it