


# SIRIOtape 25W/m 24V INFINITY

5602593020



24  
V

Lamp Voltage

2233  
lm/m

Luminous flux

5  
m

Max.module lenght

>95  
CRI

CRI

IP  
20

Degree of protection

## DESCRIZIONE

SIRIOtape 25W/m 930 24V INFINITY, chip LED 2110.

IP20 protection.



> 95  
CRI

IP  
20

CE

RoHS



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738  
sicom@sicom-pd.it - www.sicom-pd.it

# SIRIOtape 25W/m 24V INFINITY

5602593020



## MECHANICAL DATA

Width (mm)	12
Height (mm)	1,7
Lenght (mm)	5000
Degree of protection (IP)	IP20
Lenght of particular segments (mm)	10

## ELECTRICAL DATA

Efficiency (lm/W)	89
Lamp power per meter (W)	25
Lamp voltage (V)	24

## LIGHT TECHNICAL DATA

Luminous flux (lm/m)	2233
Beam angle (°)	120
Led	2110
CRI (Ra)	>95
Colour temperature (K)	3000K
EEC	A+
Number Led/M	700

## CONNECTION

Connection number	1 (supply from ends or in the middle every 5 meter)
Max, module lenght (mm)	5 .000

## TEMPERATURE DATA

Lifetime (h)	45000
Ambient temperature ( °C)	-20...+35



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738  
sicom@sicom-pd.it - www.sicom-pd.it

# SIRIOtape 25W/m 24V INFINITY

5602593020



#### SAFETY INFORMATION:

Read the safety and installation instructions carefully and completely before commissioning.  
For more information please contact [sicom@sicom-pd.it](mailto:sicom@sicom-pd.it).

#### DISCALIMER OF WARRANTY:

The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of data sheets.



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738  
[sicom@sicom-pd.it](mailto:sicom@sicom-pd.it) - [www.sicom-pd.it](http://www.sicom-pd.it)