


SICOMtape SAUNA CRI>94 10m IP67

5605984-10



24
V

Lamp Voltage

816
lm/m

Luminous flux

5
m

Max.module lenght

>94
CRI

CRI

IP
67

Degree of protection

DESCRIZIONE

SICOMtape 9,6W IP67 24V 3000K IP67 Sauna 10m

IP67 protection.



>94
CRI

IP
67



RoHS



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738

sicom@sicom-pd.it - www.sicom-pd.it

SICOMtape SAUNA CRI>94 10m IP67

5605984-10



MECHANICAL DATA

Width (mm)	13
Height (mm)	6
Lenght (mm)	10000
Degree of protection (IP)	IP67
Lenght of particular segments (mm)	50

ELECTRICAL DATA

Efficiency (lm/W)	85
Lamp power per meter (W)	9,6
Lamp voltage (V)	24

LIGHT TECHNICAL DATA

Luminous flux (lm/m)	816
Beam angle (°)	120
Binning tolerance	-
CRI (Ra)	>94
Colour temperature (K)	3000
EEC	A+
Number Led/M	120

CONNECTION

Connection number	1 (supply from one end)
Max, module lenght (mm)	5000

TEMPERATURE DATA

Lifetime (h)	45000
Ambient temperature (°C)	-30...+75



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738
sicom@sicom-pd.it - www.sicom-pd.it

SICOMtape SAUNA CRI>94 10m IP67

5605984-10




ACCESSORIES INCLUDED

40 clip di fissaggio

ACCESSORIES NOT INCLUDED

L x B x H mm

5605987 Profilo per Striscia Sauna - 1mt 1000 x 16 x 8,3



SAFETY INFORMATION:

Read the safety and installation instructions carefully and completely before commissioning.
For more information please contact sicom@sicom-pd.it.

DISCALIMER OF WARRANTY:

The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of data sheets.



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738
sicom@sicom-pd.it - www.sicom-pd.it