


# SICOMtape SAUNA CRI>94 10m IP67

5605986-10



Lamp Voltage



Luminous flux



Max.module lenght




CRI



Degree of protection

## DESCRIZIONE

SICOMtape 9,6W IP67 24V 4000K IP67 Sauna 10m  
IP67 protection.



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738  
sicom@sicom-pd.it - www.sicom-pd.it

# SICOMtape SAUNA CRI>94 10m IP67

5605986-10



## MECHANICAL DATA

Width (mm)	13
Height (mm)	6
Lenght (mm)	10000
Degree of protection (IP)	IP67
Lenght of particular segments (mm)	50

## ELECTRICAL DATA

Efficiency (lm/W)	88
Lamp power per meter (W)	9,6
Lamp voltage (V)	24

## LIGHT TECHNICAL DATA

Luminous flux (lm/m)	854
Beam angle (°)	120
Binning tolerance	-
CRI (Ra)	>94
Colour temperature (K)	4000
EEC	A+
Number Led/M	120

## CONNECTION

Connection number	1 (supply from one end)
Max, module lenght (mm)	5000

## TEMPERATURE DATA

Lifetime (h)	45000
Ambient temperature ( °C)	-30...+75



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738  
sicom@sicom-pd.it - www.sicom-pd.it

# SICOMtape SAUNA CRI>94 10m IP67

5605986-10




## ACCESSORIES INCLUDED

40 Clip di fissaggio

## ACCESSORIES NOT INCLUDED

	L x B x H mm
5605987 Profilo per Striscia Sauna - 1mt	1000 x 16 x 8,3



### SAFETY INFORMATION:

Read the safety and installation instructions carefully and completely before commissioning.  
For more information please contact [sicom@sicom-pd.it](mailto:sicom@sicom-pd.it).

### DISCALIMER OF WARRANTY:

The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of data sheets.



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738  
[sicom@sicom-pd.it](mailto:sicom@sicom-pd.it) - [www.sicom-pd.it](http://www.sicom-pd.it)