


SICOMtape Neon TOP 15W RGBW 3000K IP67 -5m SICOM

5609233



24
V

Lamp Voltage

452
lm/m

Luminous flux

5.00
m

Max.module lenght

RGBW
3000K

Colour

120
mm

Bending Radius

DESCRIZIONE

SICOMtape NEON TOP has vertical bending only with radius of 120mm.

1-Side emitting.

IP67 protection, UV resistant.



ONE BIN ONLY

Color consistency
Today and tomorrow

RGBW

IP
67



RoHS

*Currently being finalised.



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738

sicom@sicom-pd.it - www.sicom-pd.it

SICOMtape Neon TOP 15W RGBW 3000K IP67 -5m SICOM

5609233

MECHANICAL DATA

Width (mm)	15	
Height (mm)	16	
Lenght (mm)	5015	
Degree of protection (IP)	IP67	
Lenght of particular segments (mm)	62,5	
Net weight (g)	522	

ELECTRICAL DATA

Efficiency (lm/W)	30	
Lamp power per meter (W)	15	
Lamp voltage (V)	24	
Voltage range	23,5 - 24,5 Vdc	

LIGHT TECHNICAL DATA

Luminous flux (lm/m)	452	
Beam angle (°)	120	
Binning tolerance	3 SDCM	
Colour	RGBW	
Colour temperature (K)	3000	
EEC	A+	

CONNECTION

Connection number	2	
Cable cross-section (mm²)	0,5	
Max, module lenght (mm)	5000	

TEMPERATURE DATA

Lifetime (h)	45000	
Ambient temperature (°C)	-25...+45	
Storage temperature (°C)	-25...+55	
Operating temperature (°C)	-25...+55	



SICOMtape Neon TOP 15W RGBW 3000K IP67 -5m SICOM

5609233

Information about the electrical and lighting technology measurements: Performance data measured after 1 min. at 25°C ambient temperature and a light colour of 4.000 K (or RGB). These values can have a tolerance value of -/+ 10% (or -/+15% at ECO/TWO/RGB/AIR).
Module lenght at 24V input voltage at the module and luminous flux drop 10% over the specified lenght.

INCLUDED ACCESSORIES

SICOMtape Neon IP67
10 Fixing screw - 10 Mounting brackets



NOT INCLUDED ACCESSORIES

Codice	Descrizione	 L x B x H mm	Figura
SICOMtape Neon TOP - tappo di chiusura valido per tutte le SICOMtape Neon TOP			
5609244	SICOMtape Neon TOP 1 Tappo	27,9 x 20,4 x 19,4	
SICOMtape Neon TOP IP67 RGBW			
5609213-Side	SICOMtape Neon TOP IP67 RGBW Tappo+cavo Side DX 30cm	27,9 x 20,4 x 19,4	1
5609213-Side Sx	SICOMtape Neon TOP IP67 RGBW Tappo+cavo Side SX 30cm	27,9 x 20,4 x 19,4	2
5609213-Front	SICOMtape Neon TOP IP67 RGBW Tappo+cavo Front 30cm	27,9 x 20,4 x 19,4	3
5609213-Bottom	SICOMtape Neon TOP IP67 RGBW Tappo+cavo Bottom 30cm	27,9 x 20,4 x 19,4	4

* le strip Neon sono già cablate con due tappi front

Fig. 1 - Tappo con cavo Side Destro




Fig. 2 - Tappo con cavo Side Sinistro




Fig. 3 - Tappo con cavo Front






Fig. 4 - Tappo con cavo Bottom



SICOMtape Neon TOP IP67-1mt Code 5609240 - Lenght 1000 (mm)

SAFETY INFORMATION:

Read the safety and installation instructions carefully and completely before commissioning.
For more information please contact sicom@sicom-pd.it.

DISCALIMER OF WARRANTY:

The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of data sheets.



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738
sicom@sicom-pd.it - www.sicom-pd.it