


SICOMtape Neon SIDE 15W RGBW IP67

5609235




Lamp Voltage



Luminous flux



Max.module length



Bending Radius

DESCRIZIONE

SICOMtape NEON SIDE RGBW has horizontal bending only with radius of 120mm.


1-Side emitting.

IP67 protection, UV resistant.



ONE BIN ONLY

Color consistency
Today and tomorrow



*On request



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738

sicom@sicom-pd.it - www.sicom-pd.it

SICOMtape Neon SIDE 15W RGBW IP67-5m



5609235

MECHANICAL DATA

Width (mm)	12
Height (mm)	20
Lenght (mm)	5000
Degree of protection (IP)	IP67
Lenght of particular segments (mm)	62,5

ELECTRICAL DATA

Efficiency (lm/W)	25
Lamp power per meter (W)	15
Lamp voltage (V)	24
Voltage range	23,5 - 24,5 Vdc

LIGHT TECHNICAL DATA

Luminous flux (lm/m)	375
Bending diameter (mm)	240
Colour temperature (K)	RGBW(3000K)

CONNECTION

Connection number	1(supply from one side)
Max. module lenght (mm)	5000

TEMPERATURE DATA

Lifetime (h)	45000
Ambient temperature (°C)	-25...+45
Storage temperature (°C)	-25...+55
Operating temperature (°C)	-25...+55



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738
 sicom@sicom-pd.it - www.sicom-pd.it

SICOMtape Neon SIDE 15W RGBW IP67-5m



5609235

Information about the electrical and lighting technology measurements: Performance data measured after 1 min. at 25°C ambient temperature and a light colour of 4.000 K (or RGB). These values can have a tolerance value of $\pm 10\%$ (or $\pm 15\%$ at ECO/TWO/RGB/AIR). Module lenght at 24V input voltage at the module and luminous flux drop 10% over the specified lenght.

INCLUDED ACCESSORIES

SICOMtape Neon IP67

20 Fixing screw - 20 Mounting brackets



NOT INCLUDED ACCESSORIES

Codice	Descrizione	L x B x H mm	Figura
SICOMtape Neon SIDE - tappo di chiusura valido per tutte le SICOMtape Neon SIDE			
5609259	SICOMtape Neon SIDE 1 Tappo	26,5 x 17 x 24,2	
SICOMtape Neon SIDE IP67 RGBW			
5609217-Side	SICOMtape Neon TOP IP67 RGBW Tappo+cavo Side DX 30cm	26,5 x 17 x 24,2	1
5609217-Side Sx	SICOMtape Neon TOP IP67 RGBW Tappo+cavo Side SX 30cm	26,5 x 17 x 24,2	2
5609217-Front	SICOMtape Neon TOP IP67 RGBW Tappo+cavo Front 30cm	26,5 x 17 x 24,2	3
5609217-Bottom	SICOMtape Neon TOP IP67 RGBW Tappo+cavo Bottom 30cm	26,5 x 17 x 24,2	4

* le strip Neon sono già cablate con due tappi front

Fig. 1 - Tappo con cavo Side Destro




Fig. 2 - Tappo con cavo Side Sinistro




Fig. 3 - Tappo con cavo Front





Fig. 4 - Tappo con cavo Bottom




SICOMtape Neon SIDE IP67-1mtCode 5609255 - Lenght 1000 (mm)

SAFETY INFORMATION:

Read the safety and installation instructions carefully and completely before commissioning.
For more information please contact sicom@sicom-pd.it.

DISCALIMER OF WARRANTY:

The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of data sheets.



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738
sicom@sicom-pd.it - www.sicom-pd.it