


SICOMtape Neon 10x10 MINI 10W 2700 IP67 561010MINI2767



Lamp Voltage




Luminous flux



Max.module lenght



CRI



Bending Radius

DESCRIZIONE

SICOMtape NEON 10x10 MINI has vertical bending only with radius of 50mm.



1-Side emitting.

IP67 protection, UV resistant.



ONE BIN ONLY

Color consistency
Today and tomorrow



*Currently being finalised.



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738
sicom@sicom-pd.it - www.sicom-pd.it

SICOMtape Neon 10x10 MINI 10W 2700 IP67 561010MINI2767



MECHANICAL DATA

Width (mm)	10
Height (mm)	10
Lenght (mm)	5000
Degree of protection (IP)	IP67
Lenght of particular segments (mm)	35,7

ELECTRICAL DATA

Efficiency (lm/W)	73
Lamp power per meter (W)	10
Lamp voltage (V)	24
Voltage range	23,5 - 24,5 Vdc

LIGHT TECHNICAL DATA

Luminous flux (lm/m)	737
Beam angle (°)	120
Binning tolerance	3 SDCM
CRI (Ra)	> 90
Colour temperature (K)	2700

CONNECTION

Connection number	1
Max, module lenght (mm)	5000

TEMPERATURE DATA

Lifetime (h)	45000
Ambient temperature (°C)	-25...+45
Storage temperature (°C)	-25...+55
Operating temperature (°C)	-25...+55



SICOMtape Neon 10x10 MINI 10W 2700 IP67


561010MINI2767



Information about the electrical and lighting technology measurements: Performance data measured after 1 min. at 25°C ambient temperature and a light colour of 4.000 K (or RGB). These values can have a tolerance value of $\pm 10\%$ (or $\pm 15\%$ at ECO/TWO/RGB/AIR).
Module length at 24V input voltage at the module and luminous flux drop 10% over the specified length.

ACCESSORI INCLUSI

Figura	Descrizione
--------	-------------



10 Staffe di fissaggio con apposite viti
2 Tappi di chiusura
1 Tubetto di silicone

ACCESSORI NON INCLUSI


Figura	Codice	Descrizione	L x B x H mm
	PROFILO IN ALLUMINIO		
	56101001	SICOMtape Neon 10x10 Profilo alluminio	1000 x 12,4 x 13
	PROFILO IN POLICARBONATO		
	56101002	SICOMtape Neon 10x10 Profilo in polycarbonato	1000 x 12,9 x 12,8

Figura	Codice	Descrizione	L x B x H mm
--------	--------	-------------	--------------

Tappo con cavo Front

SICOMtape Neon Front


56101007	SICOMtape Neon 10x10 Tappo Front	12,3 x 12,3 x 11
----------	----------------------------------	------------------



Tappo con cavo Side

SICOMtape Neon Side


56101008-DX	SICOMtape Neon 10x10 Tappo Side Dx	12 x 20 x 12
56101008-SX	SICOMtape Neon 10x10 Tappo Side Sx	12 x 20 x 12



Tappo con cavo Bottom

SICOMtape Neon Bottom

56101009	SICOMtape Neon 10x10 Tappo Bottom	12 x 20 x 12
----------	-----------------------------------	--------------



SAFETY INFORMATION:

Read the safety and installation instructions carefully and completely before commissioning.
For more information please contact sicom@sicom-pd.it.

DISCLAIMER OF WARRANTY:

The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of data sheets.

