



# SICOMtape Neon 10x10 SIDE 10W 2700 IP67 561010SIDE2767



Lamp Voltage



Luminous flux



Max.module length



CRI



Bending Radius

## DESCRIZIONE


SICOMtape NEON 10x10 SIDE has horizontal bending only with radius of 50mm.

1-Side emitting.

IP67 protection, UV resistant.



**ONE BIN ONLY**  
Color consistency  
Today and tomorrow



\*Currently being finalised.



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738  
sicom@sicom-pd.it - www.sicom-pd.it

# SICOMtape Neon 10x10 SIDE 10W 2700 IP67 561010SIDE2767



## MECHANICAL DATA

Width (mm)	10
Height (mm)	10
Length (mm)	5000
Degree of protection (IP)	IP67
Length of particular segments (mm)	35,7

## ELECTRICAL DATA

Efficiency (lm/W)	58
Lamp power per meter (W)	10
Lamp voltage (V)	24
Voltage range	23,5 - 24,5 Vdc

## LIGHT TECHNICAL DATA

Luminous flux (lm/m)	571
Beam angle (°)	120
Binning tolerance	3 SDCM
CRI (Ra)	> 90
Colour temperature (K)	2700

## CONNECTION

Connection number	1
Max, module length (mm)	5000

## TEMPERATURE DATA

Lifetime (h)	45000
Ambient temperature (°C)	-25...+45
Storage temperature (°C)	-25...+55
Operating temperature (°C)	-25...+55



# SICOMtape Neon 10x10 SIDE 10W 2700 IP67 561010SIDE2767



Information about the electrical and lighting technology measurements: Performance data measured after 1 min. at 25°C ambient temperature and a light colour of 4.000 K (or RGB). These values can have a tolerance value of -/+ 10% (or -/+15%at ECO/TWO/RGB/AIR).  
Module length at 24V input voltage at the module and luminous flux drop 10% over the specified length.

## ACCESSORI INCLUSI

Figura . . . . . Descrizione



10 Staffe di fissaggio con apposite viti  
2 Tappi di chiusura  
1 Tubetto di silicone

## ACCESSORI NON INCLUSI


Figura	Codice	Descrizione	L x B x H mm
	<b>PROFILO IN ALLUMINIO</b>		
	56101001	SICOMtape Neon 10x10 Profilo alluminio	1000 x 12,4 x 13
<b>PROFILO IN POLICARBONATO</b>			
	56101002	SICOMtape Neon 10x10 Profilo in policarbonato	1000 x 12,9 x 12,8

Figura . . . . . Codice . . . . . Descrizione . . . . . L x B x H mm

### Tappo con cavo Front

#### SICOMtape Neon Front

56101007 SICOMtape Neon 10x10 Tappo Front 12,3 x 12,3 x 11




### Tappo con cavo Side

#### SICOMtape Neon Side

56101008-DX SICOMtape Neon 10x10 Tappo Side Dx 12 x 20 x 12


56101008-SX SICOMtape Neon 10x10 Tappo Side Sx 12 x 20 x 12



### Tappo con cavo Bottom

#### SICOMtape Neon Bottom

56101009 SICOMtape Neon 10x10 Tappo Bottom 12 x 20 x 12



## SAFETY INFORMATION:

Read the safety and installation instructions carefully and completely before commissioning.  
For more information please contact [sicom@sicom-pd.it](mailto:sicom@sicom-pd.it).

## DISCALIMER OF WARRANTY:

The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of data sheets.

