


SICOMtape 8W/m 930 48V ultralong 15m



Code 561480893065



Lamp Voltage



Luminous flux



Max.module lenght





CRI



Degree of protection

DESCRIZIONE

SICOMtape 8W/m 930 48V ultralong, IP65 LED 2835.



on request



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738 VERSIONE 1- 10/2019
sicom@sicom-pd.it - www.sicom-pd.it

SICOMtape 8W/m 930 48V ultralong 15m



Code 561480893065

MECHANICAL DATA	
Width (mm)	10
Height (mm)	3
Lenght (mm)	15000
Degree of protection (IP)	IP65
Lenght of particular segments (mm)	125

ELECTRICAL DATA	
Efficiency (lm/W)	101
Lamp power per meter (W)	8
Lamp voltage (V)	48

LIGHT TECHNICAL DATA	
Luminous flux (lm/m)	815
Beam angle (°)	120
Mac Adam	1
CRI (Ra)	>90
Colour temperature (K)	3000
EEC	F
Number Led/M	120

CONNECTION	
Max wiring lenght (m)	15 meter (supply from one side)
Max, module lenght (mm)	15000

TEMPERATURE DATA	
Lifetime (h)	60000
Ambient temperature (°C)	-20...+35



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738 VERSIONE 1- 10/2019

sicom@sicom-pd.it - www.sicom-pd.it

SICOMtape 8W/m 930 48V ultralong 15m



Code 561480893065

SAFETY INFORMATION:

Read the safety and installation instructions carefully and completely before commissioning.
For more information, please contact sicom@sicom-pd.it.

DISCALIMER OF WARRANTY:

The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of data sheets.



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738 VERSIONE 1- 10/2019
sicom@sicom-pd.it - www.sicom-pd.it