


# SICOMtape 15W/m 830 230VAC IP65



Code 561AC1583065-10



Lamp Voltage



Luminous flux



Max.module lenght



CRI





Degree of protection

## DESCRIZIONE

SICOMtape 15W/m 830 230VAC, IP65 LED 2835



**RoHS**



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738 VERSIONE 1- 10/2019  
sicom@sicom-pd.it - www.sicom-pd.it

# SICOMtape 15W/m 830 230VAC IP65



Code 561AC1583065-10

MECHANICAL DATA	
Width (mm)	15
Height (mm)	6,5
Lenght (mm)	10000
Degree of protection (IP)	IP65
Lenght of particular segments (mm)	100
ELECTRICAL DATA	
Efficiency (lm/W)	98
Lamp power per meter (W)	15
Lamp voltage (VAC)	230
LIGHT TECHNICAL DATA	
Luminous flux (lm/m)	1470
Beam angle (°)	120
Mac Adam	1
CRI (Ra)	80
Colour temperature (K)	3000
EEC	F
Number Led/M	120
CONNECTION	
Max wiring lenght (m)	10 meter (supply from one side)
Max, module lenght (mm)	10000
TEMPERATURE DATA	
Lifetime (h)	35000
Ambient temperature (°C)	-20...+40



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738 VERSIONE 1- 10/2019  
sicom@sicom-pd.it - www.sicom-pd.it

# SICOMtape 15W/m 830 230VAC IP65



Code 561AC1583065-10

**NOTE:**

For indoor use. Customizable product on request for outdoor use as well.

**SAFETY INFORMATION:**

Read the safety and installation instructions carefully and completely before commissioning.

For more information, please contact [sicom@sicom-pd.it](mailto:sicom@sicom-pd.it).

**DISCALIMER OF WARRANTY:**

The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of data sheets.



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738 VERSIONE 1- 10/2019  
[sicom@sicom-pd.it](mailto:sicom@sicom-pd.it) - [www.sicom-pd.it](http://www.sicom-pd.it)