
SIEMENS

Foglio dati 3RW5952-0SH04



modulo semiconduttori di potenza 480 V, per 3RW55/52, 77 A

denominazione del prodotto	Modulo di potenza a semiconduttore
esecuzione del prodotto	480 V, 77 A
designazione del tipo di prodotto	3RW59
n. di articolo del produttore del softstarter	
•	3RW5125 (3x), 3RW5126 (3x)
•	3RW5225-..C.4 (3x), 3RW5226-..C.4 (3x)
•	3RW5525-.HA.4 (3x), 3RW5526-.HA.4 (3x)
Dati tecnici generali	
Direttiva RoHS (data)	02/15/2018
Peso netto per UQ	217 g
Condizioni ambientali	
temperatura ambiente durante l'immagazzinaggio	-40 ... +80 °C

Approvazioni Certificati

Environment	General Product Approval				EMV
Environmental Confirmations					

For use in hazardous locations	Test Certificates	Maritime application			
Miscellaneous	Type Test Certificates/Test Report	ABS	DNV	LRS	PRS

other	
Confirmation	Confirmation

Ulteriori informazioni

Con riserva di modifiche
© Copyright Siemens

Informazioni sull'imballaggio
https://support.industry.siemens.com/cs/ww/it/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Cataloghi, Opuscoli,…)
https://www.siemens.com/ic10
Industry Mall (sistema di ordinazione Online)
https://mall.industry.siemens.com/mall/it/it/Catalog/product?mlfb=3RW5952-0SH04
Service&Support (Manuali, Certificati, Caratteristiche, FAQ, …)
https://support.industry.siemens.com/cs/ww/it/ps/3RW5952-0SH04
Banca dati immagini (foto prodotto, disegni dimensionali 2D, modelli 3D, schemi delle connessioni, macro EPLAN…)
https://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RW5952-0SH04&lang=en
Generatore CAx online
https://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RW5952-0SH04
Curve caratteristiche
https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod__no>
Caratteristica: Comportamento di sgancio, I²t, Corrente di interruzione limitata
https://support.industry.siemens.com/cs/ww/en/ps/3RW5952-0SH04/char
Curve caratteristiche: Altitudine di installazione
https://www.automation.siemens.com/bilddb/index.aspx?gridview=view2&objkey=G_NSB0_XX_01704&showdetail=true&view=Search
Simulation Tool for Soft Starters (STS)
https://support.industry.siemens.com/cs/ww/en/view/101494917

Ultima modifica: 02/04/2025

© Copyright Siemens

Con riserva di modifiche
© Copyright Siemens