



bobina di minima tensione AC 110 V 50/60Hz accessori per: 3VA1 e 3VA20-26

Versione	
marca del prodotto	SETRON
denominazione del prodotto	sganciatore ausiliario
accessori	Sganciatore ausiliario
Dati tecnici generali	
grado di inquinamento	3
categoria di sovratensione	III
potenza apparente assorbita / max.	2 VA
Tensione	
tensione di tenuta a impulso	4 kV
Progettazione meccanica	
altezza	65,1 mm
larghezza	25,7 mm
numero degli slot	3
profondità	28,8 mm
peso netto	91 g
Peso netto per UQ	85 g
coppia di serraggio / con morsetti a vite / min.	0,4 N·m
coppia di serraggio / con morsetti a vite / max.	0,5 N·m
Conessioni secondo IEC	
lunghezza di spelatura	10 mm
sezione di conduttore collegabile • min. • max.	0,5 ... 1,5
numero AWG / come sezione di conduttore collegabile codificata / per contatti ausiliari • min. • max.	20 16
Conessioni secondo UL	
lunghezza di spelatura [in]	0,4 in
coppia di serraggio [lbf·in] / con morsetti a vite / min.	3,5 lbf·in
coppia di serraggio [lbf·in] / con morsetti a vite / max.	4,4 lbf·in
Certificati	
General Product Approval	EMV

Miscellaneous




Confirmation



Test Certificates	Maritime application	other	Environment	
Type Test Certificates/Test Report	Miscellaneous		Confirmation	Environmental Confirmations

Environment
Environmental Confirmations

Ulteriori informazioni
Informazioni sull'imballaggio https://support.industry.siemens.com/cs/ww/it/view/109813875 Information for data generation and storage https://support.industry.siemens.com/cs/ww/en/view/109995012 Information- and Downloadcenter (Cataloghi, Opuscoli,...) https://www.siemens.com/lowvoltage/catalogs Industry Mall (sistema di ordinazione Online) https://mall.industry.siemens.com/mall/it/it/Catalog/product?mlfb=3VA9908-0BB23 Service&Support (Manuali, Certificati, Caratteristiche, FAQ, ...) https://support.industry.siemens.com/cs/ww/it/ps/3VA9908-0BB23 Banca dati immagini (foto prodotto, disegni dimensionali 2D, modelli 3D, schemi delle connessioni, ...) https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9908-0BB23 CAX-Online-Generator https://www.siemens.com/cax Tender specifications https://www.siemens.com/specifications





Ultima modifica:

26/05/2025 

