



Figura simile

accessori per sezionatore sottocarico con fusibili forma costruttiva in linea, inseribile amperometro, a ferro mobile 300/1A, classe 1 0,6 VA 2x sovraccarico

Versione		
marca del prodotto	SENTRON	
denominazione del prodotto	Amperometro, a ferro mobile	
esecuzione del prodotto	accessori per sezionatori sottocarico con fusibili 3NJ6	
Accessori		
accessori	amperometro, a ferro mobile, 300 A / 1 A, 0,6 VA	
Progettazione meccanica		
Peso netto per UQ	0,085 kg	
Approvazioni Certificate		
Environment	General Product Approval	EMV

[Environmental Conformations](#)

[Confirmation](#)



Test Certificates	other
<a href="#">Type Test Certificates/Test Report</a>	<a href="#">Confirmation</a>



[Confirmation](#)

### Ulteriori informazioni

Informazioni sull'imballaggio

<https://support.industry.siemens.com/cs/ww/it/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Cataloghi, Opuscoli,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (sistema di ordinazione Online)

<https://mall.industry.siemens.com/mall/it/it/Catalog/product?mlfb=3NJ6900-4HH11>

Service&Support (Manuali, Certificati, Caratteristiche, FAQ, ...)

<https://support.industry.siemens.com/cs/ww/it/ps/3NJ6900-4HH11>

Banca dati immagini (foto prodotto, disegni dimensionali 2D, modelli 3D, schemi delle connessioni, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3NJ6900-4HH11](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NJ6900-4HH11)

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Curve caratteristiche

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



