







SETRON, portafusibili per cartucce cilindriche, 10x38 mm, a 3 poli, In: 32 A, Un AC: 690 V, controllore d'intervento universale a LED

Versione	
marca del prodotto	SETRON
denominazione del prodotto	Portafusibili per cartucce cilindriche
esecuzione del prodotto	Segnalatore a LED
Dati tecnici generali	
numero di poli	3
grandezza costruttiva della cartuccia fusibile	10 x 38 mm
Tensione di alimentazione	
tensione di impiego	690 V
• con AC valore nominale	
grado di protezione IP	IP20
Progettazione meccanica	
altezza	81 mm
larghezza	54 mm
profondità	64 mm
Peso netto per UQ	192 g
Certificati	
codice di riferimento secondo IEC 81346-2:2009	F
Approvazioni Certificati	
Environment	General Product Approval
<a href="#">Environmental Confirmations</a>	    
Test Certificates	other
<a href="#">Miscellaneous</a>	<a href="#">Confirmation</a> 
Ulteriori informazioni	
<b>Informazioni sull'imballaggio</b> <a href="https://support.industry.siemens.com/cs/ww/it/view/109813875">https://support.industry.siemens.com/cs/ww/it/view/109813875</a>	
<b>Information for data generation and storage</b> <a href="https://support.industry.siemens.com/cs/ww/en/view/109995012">https://support.industry.siemens.com/cs/ww/en/view/109995012</a>	
<b>Information- and Downloadcenter (Cataloghi, Opuscoli,...)</b> <a href="https://www.siemens.com/lowvoltage/catalogs">https://www.siemens.com/lowvoltage/catalogs</a>	
<b>Industry Mall (sistema di ordinazione Online)</b> <a href="https://mall.industry.siemens.com/mall/it/it/Catalog/product?mlfb=3NW7034">https://mall.industry.siemens.com/mall/it/it/Catalog/product?mlfb=3NW7034</a>	
<b>Service&amp;Support (Manuali, Certificati, Caratteristiche, FAQ, ...)</b> <a href="https://support.industry.siemens.com/cs/ww/it/ps/3NW7034">https://support.industry.siemens.com/cs/ww/it/ps/3NW7034</a>	
<b>Banca dati immagini (foto prodotto, disegni dimensionali 2D, modelli 3D, schemi delle connessioni, ...)</b> <a href="https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7034">https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7034</a>	
<b>CAX-Online-Generator</b> <a href="https://www.siemens.com/cax">https://www.siemens.com/cax</a>	
<b>Tender specifications</b> <a href="https://www.siemens.com/specifications">https://www.siemens.com/specifications</a>	
<b>Curve caratteristiche</b> <a haupt"&gt;&lt;="" href="https://curves.simaris.siemens.com/curves/&lt;mmp_prod_noCOMP=" mmp_prod_no&gt;"="">https://curves.simaris.siemens.com/curves/&lt;mmp_prod_noCOMP="HAUPT"&gt;&lt;/mmp_prod_no&gt;</a>	

