

SENTRON, portafusibili per cartucce cilindriche, 22x58 mm, a 2 poli, In: 100 A, Un AC: 690 V, controllore d'intervento universale a LED

Versione		
marca del prodotto	SENTRON	
denominazione del prodotto	Portafusibili per cartucce cilindriche	
esecuzione del prodotto	Segnalatore a LED	
Dati tecnici generali		
numero di poli	2	
grandezza costruttiva della cartuccia fusibile	22 x 58 mm	
Tensione di alimentazione		
tensione di impiego	690 V	
• con AC valore nominale		
grado di protezione IP	IP20	
Progettazione meccanica		
altezza	117 mm	
larghezza	72 mm	
profondità	70 mm	
Peso netto per UQ	329 g	
Certificati		
codice di riferimento secondo IEC 81346-2:2009	F	
Approvazioni Certificati		
Environment	General Product Approval	Test Certificates
<a href="#">Environmental Confirmations</a>		
		
	<a href="#">Confirmation</a>	<a href="#">Miscellaneous</a>
other		
	<a href="#">Confirmation</a>	
Ulteriori informazioni		
<p>Informazioni sull'imballaggio  <a href="https://support.industry.siemens.com/cs/ww/it/view/109813875">https://support.industry.siemens.com/cs/ww/it/view/109813875</a></p> <p>Information for data generation and storage  <a href="https://support.industry.siemens.com/cs/ww/en/view/109995012">https://support.industry.siemens.com/cs/ww/en/view/109995012</a></p> <p>Information- and Downloadcenter (Cataloghi, Opuscoli,...)  <a href="https://www.siemens.com/lowvoltage/catalogs">https://www.siemens.com/lowvoltage/catalogs</a></p> <p>Industry Mall (sistema di ordinazione Online)  <a href="https://mall.industry.siemens.com/mall/it/it/Catalog/product?mlfb=3NW7222">https://mall.industry.siemens.com/mall/it/it/Catalog/product?mlfb=3NW7222</a></p> <p>Service&amp;Support (Manuali, Certificati, Caratteristiche, FAQ, ...)  <a href="https://support.industry.siemens.com/cs/ww/it/ps/3NW7222">https://support.industry.siemens.com/cs/ww/it/ps/3NW7222</a></p> <p>Banca dati immagini (foto prodotto, disegni dimensionali 2D, modelli 3D, schemi delle connessioni, ...)  <a href="https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7222">https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7222</a></p> <p>CAx-Online-Generator  <a href="https://www.siemens.com/cax">https://www.siemens.com/cax</a></p> <p>Tender specifications  <a href="https://www.siemens.com/specifications">https://www.siemens.com/specifications</a></p> <p>Curve caratteristiche  <a haupt"&gt;&lt;="" href="https://curves.simaris.siemens.com/curves/&lt;mmp_prod_noCOMP=" mmp_prod_no&gt;"="">https://curves.simaris.siemens.com/curves/&lt;mmp_prod_noCOMP="HAUPT"&gt;&lt;/mmp_prod_no&gt;</a></p>		





