

Scheda dati | Codice articolo: 770-121

Leva di bloccaggio; per connessioni volanti; per funzionamento manuale; bianco



<https://www.wago.com/770-121>



Colore: bianco

Locking system WINSTA® MIDI

With the locking system from the WINSTA® MIDI product line, zero-defect installation is guaranteed. With WAGO, you benefit from a large selection of accessories for the WINSTA® product line. The WINSTA® MIDI Pluggable Connection System with Push-in CAGE CLAMP® spring pressure connection technology facilitates safe electrification. Due to the included test slot, connections can be checked even when they are plugged in. This saves time, labor, and money.

Push-in CAGE CLAMP® spring pressure connection technology – pluggable installation instead of laborious screw connections!

The WINSTA® Pluggable Connection System is perfectly tailored to the strict requirements of building installation. It makes electrical installation pluggable, and therefore faster, more reliable, and error-free. Using this pre-assembled system decreases assembly times and errors during installation at the construction site. Enjoy the benefits of the pluggable version of our maintenance-free spring pressure connection technology too! Plan your installation with WINSTA® MIDI accessories from WAGO.

- pre-assembled versions
- quick replacement of defective units during ongoing operation

Dati di connessione

Connessione 1

Tipo azionamento	Leva azionata a mano
------------------	----------------------

Dati meccanici

Adatto	per cavi volanti; azionamento a mano
--------	--------------------------------------

Dati dei materiali

Nota sui dati dei materiali

[Information on material specifications can be found here](#)

Colore	bianco
Materiale isolante	Poliammide (PA66)
Classe di infiammabilità secondo UL 94	V0
Carico d'incendio	0.017 MJ
Peso	0,6 g



Requisiti ambientali		
Temperatura di lavorazione		-5 ... +40 °C
Temperatura operativa continua		-35 ... +85 °C
Nota sulla temperatura operativa continua		Parti isolanti per temperature ≤ 105 °C

Dati commerciali		
eCl@ss 10.0		27-44-06-92
eCl@ss 9.0		27-44-06-92
ETIM 8.0		EC002863
ETIM 7.0		EC002863
PU (SPU)		100 (25) pz.
Tipo imballaggio		Box
Paese d'origine		DE
GTIN		4017332755221
Numero tariffa doganale		85389099990

Environmental Product Compliance		
RoHS Compliance Status		Compliant,No Exemption

Approvazioni/certificati

Omologazioni generali



Certificazione	Standard	Nome del certificato
VDE VDE Prüf- und Zertifizierungsinstitut	EN 61535	40029808

Download

Environmental Product Compliance

Compliance Search		
Environmental Product Compliance 770-121		

Documentation

Bid Text			
770-121	19.02.2019	xml 2.62 KB	
770-121	11.03.2015	doc 21.50 KB	

CAD/CAE-Data



CAD data	
2D/3D Models 770-121	

CAE data	
WSCAD Universe 770-121	
ZUKEN Portal 770-121	