

Scheda dati | Codice articolo: 770-675


Piastra di montaggio; 5 poli; per connettori di distribuzione; plastica; bianco




<https://www.wago.com/770-675>



Colore: ■ bianco



Misure in mm



Misure in mm

Mounting accessories WINSTA® MIDI 5-pole

When using the mounting accessories from the WINSTA® MIDI product line, zero-defect electrical installation is guaranteed. You can rely on the level of quality of WINSTA® components from WAGO for your electrical installation accessories too. WINSTA® MIDI with Push-in CAGE CLAMP® spring pressure connection technology is found in a variety of projects you can use for quick, easy, secure, tailored installation.

Push-in CAGE CLAMP® spring pressure connection technology – pluggable installation instead of laborious screw connections!

The WINSTA® Pluggable Connection System is ideally tailored to the strict requirements of building installation. It makes electrical installation pluggable, and consequently more efficient, more reliable, and error-free. Using this pre-assembled system decreases time spent on assembly and installation errors at the construction site. Take advantage of the pluggable version of our maintenance-free spring pressure connection technology too! Plan your installation with WINSTA® MIDI accessories from WAGO.

- pre-assembled versions
- quick replacement of defective units during ongoing operation

Dati di connessione



Connessione 1	
N. poli	5

Dati meccanici	
Tipo montaggio	Fissaggio a vite
Adatto	per connettori di distribuzione (eccetto distributore tipo T); 5 poli

Dati dei materiali	
Nota sui dati dei materiali	Information on material specifications can be found here
Colore	bianco
Materiale isolante	Poliammide (PA66)
Classe di infiammabilità secondo UL 94	V0
Carico d'incendio	0.185 MJ
Peso	6,2 g

Requisiti ambientali	
Temperatura di lavorazione	-5 ... +40 °C
Temperatura operativa continua	-35 ... +85 °C
Nota sulla temperatura operativa continua	Parti isolanti per temperature ≤ 105 °C

Dati commerciali	
eCl@ss 10.0	27-44-06-92
eCl@ss 9.0	27-44-06-92
ETIM 8.0	EC002863
ETIM 7.0	EC002863
PU (SPU)	25 pz.
Tipo imballaggio	Box
Paese d'origine	DE
GTIN	4017332755559
Numero tariffa doganale	39269097900

Environmental Product Compliance	
RoHS Compliance Status	Compliant, No Exemption

Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 770-675

↓

Documentation



Bid Text			
770-675	19.02.2019	xml 2.55 KB	↓
770-675	13.01.2015	doc 22.50 KB	↓
ausschreiben.de 770-675			↓

CAD/CAE-Data	
CAD data 2D/3D Models 770-675 ↓	CAE data WSCAD Universe 770-675 ↓ ZUKEN Portal 770-675 ↓

1 Prodotti compatibili
1.1 Accessori opzionali
1.1.1 Montaggio
1.1.1.1 Accessori di montaggio



N. art.: 890-601 Fixing pin; 5 mm Ø, for 1.5 ... 2.5 mm mounting plates; Plastic; black	N. art.: 770-601 Fixing pin; 6 mm Ø, for 2.5 ... 4.0 mm mounting plates; Plastic; black
---	---