





Colore: bianco



Misure in mm

Strain relief housing *WINSTA*® MINI 5-pole

The strain relief housing from the *WINSTA*® MINI product line is the advanced solution for trouble-free installation. A comprehensive range of accessories rounds out the *WINSTA*® product line from WAGO. *WINSTA*® MINI follows the trend towards miniaturisation. Our smallest pluggable connection system is very good for lights, for example, since due to LED technology, these offer less and less space for the connection technology. A range up to 45 mm can be used for the strip length.

Lower costs through fast commissioning and elimination of service expenses – solutions from *WINSTA*® MINI

The *WINSTA*® Pluggable Connection System allows pluggable electrical installation. This saves time, lowers costs, and reduces the need for servicing. Now you can also cut installation expenses without compromising quality and safety: The *WINSTA*® MINI accessory reduces the need for servicing and prevents unnecessary downtime.

- easy tool-free operation, a wide range of coding options
- convenient installation and commissioning

Dati di connessione

Connessione 1	
N. poli	5
Diametro del cavo inguainato collegabile	6,5 ... 10,5 mm
Lunghezza spelatura (isolante esterno)	45 mm

Dati geometrici

Larghezza	26,7 mm / 1.051 pollici
Altezza	15,8 mm / 0.622 pollici
Profondità	55,15 mm / 2.171 pollici

Dati dei materiali	
Nota sui dati dei materiali	Information on material specifications can be found here
Colore	bianco
Materiale isolante	Poliammide (PA66)
Classe di infiammabilità secondo UL 94	V0
Carico d'incendio	0.192 MJ
Peso	6 g

Requisiti ambientali	
Temperatura di lavorazione	-5 ... +40 °C
Temperatura operativa continua	-35 ... +85 °C
Nota sulla temperatura operativa continua	Parti isolanti per temperature ≤ 105 °C

Dati commerciali	
eCl@ss 10.0	27-44-06-92
eCl@ss 9.0	27-44-06-92
ETIM 8.0	EC002863
ETIM 7.0	EC002863
PU (SPU)	50 pz.
Tipo imballaggio	Box
Paese d'origine	DE
GTIN	4045454233389
Numero tariffa doganale	39269097900

Environmental Product Compliance	
RoHS Compliance Status	Compliant,No Exemption

Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 890-515

↓

Documentation			
Bid Text			
890-515	19.02.2019	xml 2.73 KB	↓
890-515	01.12.2014	doc 23.50 KB	↓

CAD/CAE-Data



CAD data	
2D/3D Models 890-515	

CAE data	
WSCAD Universe 890-515	
ZUKEN Portal 890-515	