

ACCESSORIES

0246

Box + Plate

Bubbled, Keping

0249

Box + Plaster

Slot



7X21x8,5 cm.

0250 - Ø 3,8

Kit cassaforma drenante + connettore stagno
Draining junction box + IP67 connector.

Soft, Cerchio

0251 - Ø 3,8

Cassaforma drenante
Draining junction box

Cerchio RGB

LED DRIVERS

0112/IP

IN: 220 - 240V

OUT: 350 mA 1-11 Power leds 1W

IP67 5 cm.

0113/IP

IN: 220 - 240V

OUT: 500 mA 1-8 Power leds 2W

IP67 5 cm.

0114/IP

IN: 120 - 240V

OUT: 24V - 60W

IP67 **CLASS 2** 6,5 cm.

Wanda, Spook

0125

IN: 100 - 240V

OUT: 350 mA 1-6 Power leds 1W, 1 COB led 600

4,2 cm.

0126

IN: 110 - 240V


OUT: 700 mA 1-6 Power leds 3W

4,8 cm.

0127

IN: 100 - 240V

OUT: 500 mA 1-6 Power leds 2W, 1 COB led 900


IP67 **CLASS 2** 4 cm.


0128

IN: 100 - 240V

OUT: 350 mA 1-10 Power leds 1W, 1-2 COB led 600

  CLASS 2  4 cm.




0130

IN: 220 - 240V

OUT: 8V 1-40 Lucciole

  4,5 cm.




0143

IN: 220 - 240V

OUT: 500 mA 1-7 Power Leds 2W

IP65  4,5 cm.




0155

IN: 100 - 240V

OUT: 24V - 13W

  3,2 cm.




Piatta, Angolo, Magika, Spook, Wanda

0156

IN: 100 - 240V

OUT: 24V - 25W

  6 cm.




Piatta, Angolo, Magika, Linea, Spook, Wanda

0157

IN: 220 - 240V

OUT: 24V - 70/72W

  7 cm.




Cometa 24, Piatta, Angolo, Magika, Linea, Spook, Wanda

0159

IN: 100 - 240V

OUT: 12V - 25W

  6 cm.




Cometa 12

0160

IN: 220 - 240V

OUT: 24V - 50W

  7 cm.




Cometa 24, Piatta, Angolo, Magika, Linea, Spook, Wanda

0162

IN: 220 - 240V

OUT: 24V - 150W

  8 cm.



Cometa 24, Piatta, Angolo, Magika, Linea, Spook, Wanda

0169


IN: 220 - 240V

OUT: 500mA - 1 Vero, 1 Vero Mini

700mA - 1 Vero Maxi

900mA - 1 modulo True White 2000lm

  5,4 cm.




LED EMERGENCY UNIT

0115/EM

Kit Inverter + Battery

0107, 0108, 0121, 4516, 4517, 4518, 4519,
4522, 4523, 6407, 6408, 6409, 6410, 6615,
6616, 6422, 6423, 6424



LED DIMMERS

0110/DIM

12/24V



0129

IN: 110 - 240V

OUT: 350 mA 1-11 power leds, 1-2 COB (art.0107)

500 mA 1-10 power leds, 1-2 COB (art.0108)

700 mA 1-9 power leds



0129/DALI

IN: 110 - 240V

OUT: 350 mA 1-12 power leds, 1-2 COB (art.0107)

500 mA 1-12 power leds, 1-2 COB (art.0108)

700 mA 1-12 leds



0145

IN: 110 - 240V

OUT: 350 mA 1- 20 power leds, 1-3 COB (art.0107)

500 mA 1-19 power leds, 1-3 COB (art.0108)

700 mA 1-18 power leds

900 mA 1 modulo true white 2000lm



0145/DALI

IN: 110 - 240V

OUT: 350 mA 1- 20 power leds, 1-3 COB (art.0107)

500 mA 1-19 power leds, 1-3 COB (art.0108)

700 mA 1-18 power leds


900 mA 1 modulo true white 2000lm



0133

Cavo di sincronizzazione per dimmer Led

Synchronization cable for dimmer Led




0129, 0129 DALI, 0145, 0145 DALI

0164 Dimmer 120W




Piatta, Angolo, Magika, Linea, Cometa 24, Wanda



0167 Dimmer 22W




Piatta, Angolo, Magika, Linea



RGB DRIVERS


0167 Driver RGB 22W
IN: 230V
OUT: 3x24V

PUSH Remote 5,6 cm.




0164 Driver RGB 120W
IN: 230V
OUT: 3x24V

PUSH Remote 8 cm.



0168 Converter
IN: 3x24V
OUT: 3x250 mA 1-5 RGB




0163 IR Receiver


0164, 0167



2,5 cm.



0165 IR Remote Controller



0166
Cavo di sincronizzazione
Synchronization cable

