




THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.



NOTES:

1. VISIT OUR ON-LINE CATALOG AT WWW.PANDUIT.COM FOR A LIST OF CURRENT PARTS APPLICABLE FOR USE WITH THIS PRODUCT.
2. DIMENSIONS IN [] ARE METRIC.
3. ALL MATERIALS AND COMPONENTS USED MEET THE MATERIAL RESTRICTIONS OF RoHS (EUROPEAN DIRECTIVE 2011/65/EU ON THE RESTRICTION OF HAZARDOUS SUBSTANCES) AS PROPOSED BY THE RoHS TECHNICAL ADAPTATION COMMITTEE.
4. WEIGHT: 1.495 LBS/100 PCS [678 g/100 PCS]
5. PART INCLUDES:
 1- MODULE: POLYCARBONATE
 1- RETENTION CAP: POLYCARBONATE
6. MODULE IS CODED FOR T568A AND T568B WIRING SCHEMES.
7. ALL CATEGORY 5e AND 6, 8 POSITION, 8 WIRE CONNECTOR MODULES ARE UNIVERSAL IN DESIGN. THEY WILL ACCEPT SIX AND EIGHT POSITION MODULAR PLUGS WITHOUT DAMAGE.



ACTUAL SIZE

PART NUMBER		NKP5E88M**, NK688M**		
TITLE		NETKEY CATEGORY 5e/6 PUNCHDOWN JACK MODULE		
ITEM REVISION NAME		CUSTOMER DRAWING		
DATASET FILE NAME		00075SAW/00		
MATERIAL		00075SAW_DC02/00A		
DRAWING NUMBER		00075SAW-02		
THIRD ANGLE PROJECTION				
SEE NOTE 5				
REV	DATE	BY	CHK	SCALE
00A	11-13-19	BJN	ROJC	FULL
DESCRIPTION		SHEET 1 OF 1		SIZE
RELEASED TO PRODUCTION		SHEET 1 OF 1		A

00A	11-13-19	BJN	ROJC	TMBA	RELEASED TO PRODUCTION	00075SAW-02
REV	DATE	BY	CHK	APR	DESCRIPTION	ECN